

SYSTEM AND METHOD FOR MODELING AND APPLYING
A PEOPLE NETWORK REPRESENTATION

Technical Field of the Invention

This invention relates in general to the field of
computer networks, and more particularly to a system and
method which models and applies a people network
5 representation based on the level of interaction between
individuals on a communications network.

Background of the Invention

Modern business organizations depend on the "brain power" of their members in order to compete in an increasingly technology-oriented business environment.

5 For the members of "brain-powered" organizations, success often depends on initiative, cognitive ability and technical competence applied to solve intellectually challenging workplace tasks. Another skill of nearly equal importance for these members is the skill of
10 knowing "who to ask" when difficult tasks arise that are beyond the members' own expertise. Star performers within organizations typically develop and use robust pathways to a number of different experts in order to efficiently complete critical workplace tasks. An
15 organization that encourages the growth and usage of such "knowledge networks" by its members stands to substantially improve the value added by its members as the right expertise is applied to difficult tasks, thus saving time and money in getting the job done right.

20 Most organizations have made substantial investments in communication networks to facilitate communication among members. For instance, computer networks support e-mail systems, instant messaging systems, telephone systems and voice mail systems to communicate within and
25 outside of organizations. These communication networks are generally designed to simplify communications between members of the organization and typically include lists of contacts available to members of the organization. For example, contact list files are often available on
30 the intranet of an organization and include phone numbers, e-mail and instant messaging addresses and other contact information. Such contact information sometimes

includes the positions of the members within the organizational structure and the expertise of the members for dealing with specific issues, such as information technology.

5 Although communication networks have improved the ability of organization members to contact others within and outside of their organization, the problem of determining who to contact for help on particular tasks generally remains with each member. For instance, a
10 member seeking expertise on a particular issue may attempt to "cold call" an individual with expertise, based on the individual's position with the organization. However, such cold calls often provide unpredictable results especially since a busy expert typically has
15 little motivation or interest in helping strangers with complex problems. For this reason, effective organization members tend to rely on personal contacts or contacts-of-contacts in order to get assistance from an expert who will take a personal interest in tackling the
20 member's problem. Thus, effective organization members invest time and effort to build and maintain a network of contacts that will aid in accomplishing workplace goals.

Summary of the Invention

In accordance with the present invention, a system and method is provided that aids efficient communication of organization members. The level of interaction
5 between organization members is analyzed based on the communications of members across a communications network. Based on the analysis of communications, a representation of the people network of the organization is modeled, allowing the determination of contact paths
10 between a selected member of the organization and one or more target individuals.

More specifically, communications by organization members across a network are analyzed to determine the level of interaction between individual members of the
15 organization. For instance, the people network of the organization is modeled as a directed graph and made available for members to review, use and maintain. The directed graph represents each member of the organization as a node and represents the level of interaction between
20 members with edges between the nodes. The level of interaction is determined by analysis of the recency and frequency of communications on the network. For instance, a set of weights associated with an edge of the directed graph represents the relative rating of
25 interaction between the nodes associated with the edge. A weight measures interaction for a communication medium, such as the recency and frequency of e-mail messages between the members represented by the nodes, with each edge having a weight for each medium. An aggregate of
30 the edge values provides and interaction rating that measures the level of interaction for sets of weights.

In one embodiment, a people network representation for a member of an organization provides one or more contact paths to aid the member in establishing communication with one or more target individuals. A
5 selected member of the organization requests help in obtaining expertise in a desired subject matter, such as a product, technology or customer. The selected member's level of interaction to a predetermined degree of nodes within the people network is analyzed to determine one or
10 more contact paths between the member and target individuals that have the requested expertise and at least a predetermined level of interaction with the member. For instance, a target locator module identifies a list of experts responsive to the selected member's
15 request and within a predetermined number of nodes of the selected member. An interaction level analyzer module then analyzes the strength of the contact paths between the selected member and the target individuals with a strongest path analysis of the directed graph model as
20 provided by a people network model module. The experts having stronger contact paths based on the interaction level analysis will provide a better likelihood of obtaining a successful solution to the member's task.

In another embodiment, the people network of a
25 selected member is presented as graphical visualizations to aid the member in using and maintaining his people network. For instance, a predetermined degree of nodes of the member's people network and edges between the nodes are depicted as circles connected as lines. The
30 lines reflect the level of interaction, such as through the use of different colors. As another example, degrees of nodes are depicted as a bullseye with the selected

member at the center and the successive rings outward from the center representing strong to less-strong interaction ratings as the rings are located further from the center. The graphical visualization aids members of the organization in using and maintaining their people network by visually presenting information that reflects the member's interaction with other organization members. For instance, if a member sees that interaction with another member has reduced, the member can easily maintain this part of his people network by writing an e-mail to the contact to reestablish interaction.

The present invention provides a number of important technical advantages. One example of an important technical advantage is the automatic construction and updating of an organization's people network through analysis of existing data sources. For instance, an initial representation of an organization's people network is approximated by contact information and historical data of message traffic on a communications network, such as e-mail archives. The people network is dynamically updated to refine the structure of the people network and strengths of links between members of the organization based on interaction levels dynamically tracked across network communications. Analysis of the recency and frequency of the communications ensures an up-to-date and accurate representation of the people network with only minimal intervention by members.

Another example of an important technical advantage is the ability of an organization member to successfully search for an expert to aid in solving difficult tasks. A member enters a subject matter of interest and is then presented with a ranked list of appropriate experts based

on the strength of the member's contact paths to the experts. By identifying not only the expert but also intervening members of the organization, the present invention leverages the people network of the organization to improve efficiency in addressing workplace tasks by setting the right people to work on the right problems. For instance, the member is able to contact intervening members to help acquire assistance of an expert with whom the intervening member has direct or more direct contact, thus improving the likelihood that the expert will take a personal interest in addressing the task.

Another example of an important technical advantage of the present invention is that organization members are able to graphically view their people network to use the people network to help solve workplace tasks and to maintain interaction levels with other members of the organization. Members are presented with an easy-to-understand graphical visualization that helps the members to recognize how to leverage the people network. Further, members are able to replenish important links in their people network by reestablishing contact with other members.

Brief Description of the Drawings

A more complete understanding of the present invention and advantages thereof may be acquired by referring to the following description taken in
5 conjunction with the accompanying drawings in which like reference numbers indicate like features and wherein:

FIGURE 1 depicts a block diagram of a communications network that aids the selection of a contact path for members of an organization;

10 FIGURE 2 depicts one node of a directed graph object model of an organization's people network;

FIGURE 3 depicts a flow chart for interaction analysis to determine edge weights for a member of an organization;

15 FIGURE 4 depicts a flow chart for the calculation of an interaction rating using archived network communications;

FIGURE 5 depicts a flow chart for determining a contact path to a target individual;

20 FIGURE 6 depicts a flow chart for computing a strongest path between a member of an organization and a target individual;

FIGURE 7 depicts a graphical user interface that allows viewing of an organization member's people network
25 through a web browser;

FIGURE 8 depicts a graphical user interface for displaying a contact path to a target individual with expertise in a desired area;

FIGURE 9 depicts a graphical visualization of an
30 organization member's people network; and

FIGURE 10 depicts a graphical visualization of an organization member's strongest connections within the organization member's people network.

FIGURE 10 depicts a graphical visualization of an organization member's strongest connections within the organization member's people network.

Detailed Description of the Invention

Preferred embodiments of the present invention are illustrated in the Figures, like numerals being used to refer to like and corresponding parts of the various
5 drawings.

"Brain power" organizations face complex and difficult problems that are most efficiently solved by placing the right expertise to bear. However, the diverse expertise and experience in such organizations is
10 difficult to identify, use and update given the wide variety of problems that tend to arise and the diverse talent involved. Such organizations would benefit from the automatic construction and maintenance of a people network that aids members of the organization in
15 communicating with each other. In addition, members of the organization are able to more effectively solve problems by determining an expert who can help with the problem based in part on the expert's relationship within the people network of the member. The methods and
20 systems of this disclosure allows a member of an organization to monitor and maintain the member's people network and leverage that network to solve work tasks in an efficient manner.

Members of an organization excel through initiative,
25 cognitive ability, and technical competence applied to their work. Another key to success, however, is the skill of "knowing who knows" for accomplishing work tasks effectively and efficiently when a member lacks the skill set to resolve difficult tasks without help. Successful
30 organization members typically develop robust contact pathways to experts to obtain help in completing critical tasks in the workplace. Old fashioned networking,

meaning building and utilizing a knowledge network of contacts with experts, allows members of an organization to target individuals to contact both within and outside of the organization for expert help on problems that
5 arise in specific subject matter areas.

Referring now to FIGURE 1, a knowledge network computer system 10 encourages the use and eases the maintenance of an organization's knowledge network to achieve organization goals. A people network model
10 module 12 uses existing information sources, such as an organization contacts database 14 with phone, e-mail and ICQ contact information, to construct an initial approximation of an organization's people network and persist that approximation to a database as a people
15 network model. The initial people network model is updated with dynamic information sources, such as the recency and frequency of interaction between organization members across a communications network 16, to refine the structure of the network and accurately model the
20 strengths of links between members.

An interaction level analyzer module 18 applies the people network model for a selected member of the organization based on the communications of the selected member on network 16. For instance, communications with
25 other members of the organization through digital means, such as e-mail, ICQ and telephone communications, are analyzed to provide contact paths from the selected member to other members associated with the network. A target locator module 20 allows a selected member 22 to
30 leverage the people network for contacting a target individual 24 using a contact path that is more favorable than directly contacting the target individual. For

instance, an intervening member of the organization with a strong path to the selected member 22 and the target individual 24 provides a contact path for member 22 to target individual 24 with improved likelihood of success
5 over the likelihood of success of a direct contact by member 22 to target individual 24.

In addition, target locator module 20 applies information about expertise of individuals stored in organization contacts database 14 to aid selected member
10 22 in identifying and contacting experts within the organization to address specific issues. Thus, a member of the organization enters a subject matter of interest and is presented with a ranked list of appropriate experts in the subject matter with the appropriateness of
15 each expert determined by the level of expertise and the strength of the contact path to that expert target individual from the requesting member.

People network model module 12 models the organization's people network as a directed graph in
20 which each node of the directed graph represents a member of the organization and each edge of the directed graph represents a level of interaction from the source node to the destination node. Referring now to FIGURE 2, a node of a people network object model and related database
25 schema are depicted as a node of a directed graph. The directed graph node represents a member of the organization and that member's level of interaction with other members. A directed graph node object 26 is generated by people network model module 12 for each
30 member of the organization. Node 26 depicts identification and contact information schema 28 as including the name, e-mail address, phone numbers and

location of the individual represented by node 26. Node 26 also depicts an expertise schema 30 as including the individual's expertise in products, technologies and customers of the organization. A related product object 5 32, technology object 34 and customer object 36 store static properties of the represented expertise

Node 26 includes a links field 38 as part of its database schema with a link object 40 for each target individual with whom interaction occurs. Link object 40 10 identifies the target node and provides a numerical rating for the strength of the interaction level of the edge between the source node 26 and the target node identified in link object 40. Each link object 40 represents an edge of the object model node 26 and 15 includes a rating object 42 with a database schema that stores an interaction rating for each category of interaction. For instance, the schema includes ratings for one category of e-mail interaction.

Referring now to FIGURE 3, a flow chart depicts the 20 interaction analysis that determines an edge weight for a category of interaction as depicted by link object 40 and rating object 42. At step 44, an organization member 22 submits his message archive for analysis. For instance, member 22 submits a record of e-mails sent by that 25 member, including the identity of the recipient of each e-mail and the time-date stamp for when the email was sent by the member. In alternative embodiments, the archive may reflect the subject matter of the e-mail or other information for analysis. Alternative types of 30 network communications include sent ICQ messages and telephone calls made by the member along with related data for each network communication. Although the use of

messages sent by member 22 provides a more accurate representation of who a member considers to be in his people network, messages received by the member may also be used to define the member's people network with an
5 appropriate varied weighting for sent versus received messages to reflect their relative importance to the member's people network.

At step 46, member 22's message archive is parsed and filtered into a stream of recently sent messages.
10 Filtering the messages allows flexibility regarding the recency of each message considered and elimination of aged message information. At step 48, a loop is established by determining whether the message stream is empty. If the message stream is not empty, at step 50
15 the next message is removed from the stream, at step 52 the recipient of the message and age of the message are determined, and at step 54 the age is placed in an appropriately labeled bucket with each recipient's name. If at step 48 the message stream is empty, then at step
20 56 an iteration is established over the set of unique recipients. At step 58, a loop is set up so that if recipients remain, then at step 60 the bucket labeled with the recipient's name is located, at step 62 the recipient's interaction rating is determined from the
25 contents of the bucket, and at step 64, the interaction rating is stored as a rating object within the appropriate link object for that recipient. Once all recipients are analyzed, the process ends at step 66.

The calculation of each recipient's interaction
30 rating at step 62 is depicted in greater detail by FIGURE 4. At step 68, the rating is initialized to a value of zero. At step 70, an iteration is established over the

set of unique message age values in the recipient's bucket. If at step 72 there are values left in the bucket, a δ^v is calculated where v is the next value and δ is a decay parameter between zero and one. At step 76,
5 the rating value is incremented by the δ^v calculation and the process returns to step 72 until all values are used. Once all values are used at step 72, then at step 78 the interaction rating value is normalized by multiplying the value by one minus δ . At step 80, the normalized
10 interaction rating value is returned for storage in the rating object 42 and the process ends at step 82.

Modeling of the people network provides important contact path information to aid member 22 in meaningful communication with a target individual 24. One
15 application of the people network allows the member to enter a subject matter of interest into target locator module 20 of computer system 10 in order to obtain a ranked list of appropriate experts on the subject matter with the appropriateness determined by the likelihood
20 that the target individual expert has knowledge of the subject matter and the strength of the contact path from the member 22 to the target individual 24. Referring now to FIGURE 5, a flow chart depicts steps for member 22 to identify an expert in a subject matter and the
25 appropriate contact path to the expert.

At step 84, organization member 22 submits search criteria such as the product, customer and/or technology of the expertise sought and/or demographic information relating to the desired expert, such as office location
30 or job function. At step 86, target locator module 20 queries the people network model database for all node objects 26 that meet the search criteria. At step 88,

the strongest path is computed from the member 22's node to all object nodes that met the search criteria. At step 90, the set of matching nodes are sorted by descending strongest path value and at step 92 the sorted
5 list of matching nodes are returned to member 22 along with an annotation of the strongest contact path from member 22 to each target individual 24 qualifying as an expert.

The computation of the strongest contact path is
10 measured by the shortness of the contact path between the member 22 and target individual 24 and the interaction levels of the edges along the contact path. Referring now to FIGURE 6, a flow chart depicts the computation of the strongest path described at step 88 of FIGURE 5. At
15 step 94, the directed graph of member 22's people network is reduced by eliminating nodes that are too far from the member's node. For instance, all nodes having four intervening nodes on the contact path from the member 22 to the target 24 are eliminated as too distant on member
20 22's people network for the intervening nodes to offer substantial assistance.

Once member 22's people network is defined with appropriate targets, the strength of contact paths between member 22 and target individuals 24 is analyzed
25 with shortest path analysis. At step 96, each edge between nodes of the people network is labeled with the inverse of its aggregate interaction rating. For instance, consider a contact path from member 22 to an intervening member with an aggregate interaction rating
30 of .2 and then from the intervening member to the target individual with an aggregate interaction rating of .3. In this example, the inverse aggregate interaction

ratings would have values of 5 (1/0.2) and 3.33 (1/.3) respectively. The aggregate interaction rating is a single number representing the combination of individual interaction ratings for the various communication media, such as e-mail, ICQ or phone messages. For example, the aggregate interaction rating may be computed as an arithmetic mean function. The aggregate interaction rating of the entire path is .12 (1/(5+3.33)).

At step 98, a standard all-pair shortest-path algorithm is run on the transformed directed graph to find the shortest path solution for the directed graph using the inverse aggregate interaction ratings. Then, at step 100, the inverse of the shortest path weights is computed to obtain strongest path values for target individuals.

Referring now to FIGURE 7, a graphical user interface 102 depicts the presentation of an organization member's people network through a web browser. A list of organization members 104 represents nodes of the requesting member's direct people network. An e-mail rating 106, ICQ rating 108 and phone book rating 110 depict the interaction level rating between the requestor and each listed individual for analysis performed based on data gleaned from e-mail messages, ICQ messages and phone book information respectively. Custom rating 112 depicts the interaction level for a customized rating computed from data selected and customized by the member. The overall rating 114 depicts the aggregate interaction level for the member based on an overall analysis of interactions by the member across network communications, with different types of communication weighted at different levels. For instance, the overall rating may

provide greater emphasis on data gleaned from e-mail messages as opposed to ICQ messages or telephone communications. Location column 116, business unit column 118, and vertical column 120 provide contact
5 information for each member of the people network.

An expertise window 122 depicts the expertise of the member in products, customers and technologies. For instance, a member user viewing window 122 has expertise in Backbone Java as a product, and is able to edit that
10 expertise as necessary. The expertise for members of the organization allows for a search, such as through window 124, so that a user member can find expertise in a particular, product, customer or technology or the user member can search for expertise in a particular location,
15 business unit or vertical aspect of the organization. A request for an expert through window 124 leverages the requesting member's people network and interaction levels to determine contact paths to experts who will be more likely to aid the member in the requested subject matter,
20 such as an expert with a strongest contact path value.

Instead of searching for an expert, a member user can view a graphical presentation of his people network through window 126, including various degrees of the people network and various levels of interaction for each
25 degree. As another alternative, the member may perform an updated analysis on his people network through window 128, including analysis based on an e-mail archive or an ICQ message archive. Window 128 provides the member with the ability to import archived files of contact
30 information, such as from the member's personal computer, to perform an interaction analysis on data not otherwise available to the network.

Referring now to FIGURE 8, search results are depicted for an expert search. An expert search window 130 depicts the name of an expert 132 along with the product, customer and technology information 122 in which the expert has expertise. In addition, a contact path 134 depicts a path through the people network of the requesting member 22 to the expert target individual 24 to aid member 22 in contacting target individual 24. A profile window 136 is presented by clicking expert name 132 or clicking along contact path 134 to aid the member 22 in obtaining direct contact with target individual 24. For each member of the people network, profile window 136 provides contact information such as phone, e-mail and ICQ address information and also an indication of the level of interaction between member 22 and the intervening or target member.

Referring now to FIGURES 9 and 10, graphical visualizations of a member's people network are depicted, such as may be selected by the member through window 126 of FIGURE 7. FIGURE 9 depicts contact paths derived from analysis of the member's network communications, including members of the organization having direct interaction with the requesting member and members of the organization having interactions with the requesting member's direct contacts. In one embodiment, the strength of the contact paths are depicted by using different colors between members, with the colors reflecting the level of interaction between each member. Figure 10 depicts a bulls eye representation of member 22's people network with each successive bulls eye ring depicting different layers of the people network, the

outer rings having less direct contact than the inner rings.

One helpful application of the graphical presentations of FIGURES 9 and 10 is that a member can
5 browse his people network to update the representation of the network or to take actions to alter the level of interaction that the member has with other members. For instance, if the member's people network reflects an inaccuracy due to unusual network communications, the
10 member can manually alter the level of interaction reflected between himself and a target member. As another example, if the member notes from his review of the graphical presentation that his interaction level with another member has dropped off, the member can re-
15 establish interaction such as by writing emails to another member to re-establish communication.

A simplified example illustrates the present invention's advantage to an organization in solving workplace problems. A new hire at a software development
20 company is tasked to use a custom tag library that was recently built on top of the company's web components package. The new hire recognizes that learning the tag library without help will take an excessive amount of time and so decides to seek expert help. Thus, the new
25 hire enters a query in window 124 of FIGURE 7, such as keyword search restricted to developers in an appropriate business unit. The new hire is provided with a list of suggested experts and selects an expert having a strong interaction rating with another intervening member of the
30 organization that the new hire has a personal relationship. The new hire is able to seek the

assistance of the expert by setting up a meeting through the intervening member.

Although the present invention has been described in detail, it should be understood that various changes,
5 substitutions and alterations can be made hereto without departing from the spirit and scope of the invention as defined by the appending claims.